VOL. 642 NOS. 1+2 JOURNAL OF CHROMATOGRAPHY JULY 16, 1993

CONTENTS

CHROMATOGRAPHY IN ENVIRONMENTAL ANALYSIS, PART I

Preface
by E. Heftmann (Orinda, CA, USA) 1

GENERAL PRINCIPLES

Partition coefficients (*n*-octanol–water) for pesticides (Review)
by A. Noble (Indooroopilly, Australia) 3

Rapid high-performance liquid chromatographic methods that screen for aromatic compounds in environmental samples (Review)
by M. M. Krahn, G. M. Ylitalo, J. Buzitis, S.-L. Chan and U. Varanasi (Seattle, WA, USA) 15

Recent advances in the analysis of polycyclic aromatic hydrocarbons and fullerenes (Review)
by K. G. Furton, E. Joly and G. Pentzke (Miami, FL, USA) 33

Environmental analysis of chlorinated aromatic thioethers, sulphoxides and sulphones (Review)
by S. Sinkkonen (Jyväskylä, Finland) 47

Different approaches for improving the precision in chromatographic analysis of environmental samples by optimum signal processing and correlation techniques (Review)
by H. C. Smit (Amsterdam, Netherlands) and M. Kaljurand (Tallinn, Estonia) 53

Methods for the analysis of hazardous wastes (Review)
by S. Lesage (Burlington, Canada) 65

Environmental chromatographic methods and regulations in the United States of America (Review)
by Z. A. Grosser, J. F. Ryan and M. W. Dong (Norwalk, CT, USA) 75

High-performance liquid chromatographic methods for the determination of N-methylcarbamate pesticides in water, soil, plants and air (Review)
by B. D. McGarvey (Vineland Station, Canada) 89

Relationships of structures of nitro-polycyclic aromatic hydrocarbons with high-performance liquid chromatography retention order
by P. P. Fu (Jefferson, AR, USA), Y. Zhang (Shanghai, China), Y.-L. Mao (Taipei, Taiwan), L. S. Von Tungeln (Jefferson, AR, USA), Y. Kim and H. Jung (Jefferson, AR, USA and Seoul, South Korea) and M.-J. Jun (Seoul, South Korea) 107

METHODOLOGY

Sample preparation

Trace determination of volatile organic compounds in water by enrichment in ultra-thick-film capillary traps and gas chromatography
by B. V. Burger and M. le Roux (Stellenbosch, South Africa) 117

Use of adsorbents to collect selected halocarbons and hydrohalocarbons to environmental interest from large air volumes
by W. T. Sturges and J. W. Elkins (Boulder, CO, USA) 123

Solid extraction

Solid-phase extraction in multi-residue pesticide analysis of water (Review)
by G. Font, J. Mañes, J. C. Moltó and Y. Picó (València, Spain) 135

Evaluation of graphitized carbon black as a selective adsorbent for extracting acidic organic compounds from water
by A. Di Corcia, S. Marchese and R. Samperi (Rome, Italy) 163

Selective determination of phenols in water by a two-trap tandem extraction system followed by liquid chromatography
by A. Di Corcia, S. Marchese and R. Samperi (Rome, Italy) 175

Re-evaluation of solid-phase adsorption and desorption techniques for isolation of trace organic pollutants from chlorinated water
by S. Onodera, A. Nagatsuka, T. Rokuhara, T. Asakura, N. Hirayama and S. Suzuki (Tokyo, Japan) 185

Evaluation of a solid-phase extraction system for determining pesticide residues in milk
by J. Mañes, G. Font and Y. Picó (Valencia, Spain) 195

Size-exclusion chromatography on zeolites in the trace analysis of polyaromatic hydrocarbons and organochlorine pesticides
by S. J. Fischer, R. Alexander and R. I. Kagi (Perth, Australia) 205

Comparison of reversed-phase extraction sorbents for the on-line trace enrichment of polar organic compounds in environmental aqueous samples
by M.-C. Hennion and V. Coquart (Paris, France) 211

Matrix solid-phase dispersion extraction and the analysis of drugs and enviromental pollutants in aquatic species (Review)
by C. C. Walker, H. M. Lott and S. A. Barker (Baton Rouge, LA, USA) 225

Liquid–gel partitioning and enrichment in the analysis of organochlorine contaminants (Review)
by K. Norén and J. Sjövall (Stockholm, Sweden) 243

Sandwich-type extraction column with on-line sulphuric acid treatment for the determination of organochlorine compounds in vegetable oil or oil seeds by gas chromatography with electron-capture detection
by V. Seidel, I. Tschernuter-Meixner and W. Lindner (Graz, Austria) 253

Supercritical fluid extraction

Analytical-scale supercritical fluid extraction: a promising technique for the determination of pollutants in environmental matrices (Review)
by V. Camel (Paris, France), A. Tambuté (Vert-le-Petit, France) and M. Caude (Paris, France) 263

Supercritical fluid extraction in environmental analysis (Review)
by V. Janda (Prague, Czech Republic) and K. D. Bartle and A. A. Clifford (Leeds, UK) 283

Factors controlling quantitative supercritical fluid extraction of environmental samples
by S. B. Hawthorne, D. J. Miller, M. D. Burford, J. L. Langenfeld, S. Eckert-Tilotta and P. K. Louie (Grand Forks, ND, USA) 301

Liquid column chromatography

Use of full-spectrum absorbance and emission detectors in environmental analyses (Review)
by J. C. Fetzer and W. R. Biggs (Richmond, CA, USA) 319

Determination of polycyclic aromatic hydrocarbons by liquid chromatography (Review)
by S. A. Wise, L. C. Sander and W. E. May (Gaithersburg, MD, USA) 329

Analysis of polycyclic aromatic hydrocarbons with an ion-trap mass detector and comparison with other gas chromatographic and high-performance liquid chromatographic techniques
by G. Castello and T. C. Gerbino (Genova, Italy) 351

Fully automated multi-residue method for trace level monitoring of polar pesticides by liquid chromatography
by J. Slobodnik, M. G. M. Groenewegen, E. R. Brouwer, H. Lingeman and U. A. Th. Brinkman (Amsterdam, Netherlands) 359

Study of permanently coated columns for the high-performance liquid chromatographic determination of sulphur anions in environmental samples from metallurgical processes
by D. J. Barkley, J. R. Charbonneau, M. J. Chenier, C. C. Glasgow and J. A. Graham (Ottawa, Canada) 371

Gas chromatography

Retention characteristics of some volatile compounds on Tenax GR
by K. Ventura, M. Dostál and J. Churáček (Pardubice, Czech Republic) 379

Sensitive flame ionization detector for the determination of traces of atmospheric hydrocarbons by capillary column gas chromatography
by Y. Tsujino and K. Kuwata (Osaka, Japan) 383

Analysis of semivolatile organic compounds by headspace gas chromatography
by L. Ghaoui (Midland, MI, USA) 389

Gas chromatographic–mass spectrometric determination of lower aliphatic tertiary amines in environmental samples
by T. Tsukioka (Nagano, Japan), H. Ozawa (Tsukuba, Japan) and T. Murakami (Shinjuku, Japan) 395

Development of automated gas chromatographic–mass spectrometric analysis for natural volatile organic compounds in the atmosphere
by Y. Yokouchi, H. Bandow and H. Akimoto (Ibaraki, Japan) 401

Application of gas chromatographic retention properties to the identification of environmental contaminants
by J. R. Donnelly, M. S. Abdel-Hamid, J. L. Jeter and D. F. Gurka (Las Vegas, NV, USA) 409

Use of an automated thermal desorption system for gas chromatographic analysis of the herbicides trifluralin and triallate in air samples
by A. J. Cessna and L. A. Kerr (Regina, Canada) 417

Chromatographic techniques in accurate analysis of chlorobiphenyls
by N. Kannan, G. Petrick, D. E. Schultz-Bull and J. C. Duinker (Kiel, Germany) 425

Application of gas chromatography with photoionization and electron-capture detectors for field screening of semivolatiles in soil and water
by J. N. Driscoll and E. S. Atwood (Newton, MA, USA) 435

Other chromatographic methods

Planar layer chromatography in the analysis of inorganic pollutants (Review)
by A. Mohammad, N. Fatima, J. Ahmad and M. A. M. Khan (Aligarh, India) 445

New surface-modified sorbent layer for the analysis of toxic metals in seawater and industrial wastewater
by A. Mohammad and M. A. M. Khan (Aligarh, India) 455

Determination of size and element composition distributions of complex colloids by sedimentation field-flow fractionation–inductively coupled plasma mass spectrometry
by D. M. Murphy (Melbourne, Australia), J. R. Garbarino and H. E. Taylor (Boulder, CO, USA) and B. T. Hart and R. Beckett (Melbourne, Australia) 459